

Zhoushan Jinqi Food Machinery Co., LTD

JQ 30-6B gas filling packer

Equipment

Itroduction



**Honesty for this, the first behave,
then work**

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web:www.93jq.comEmail box / E-mail:zsjq_sp@163.com

Tel: + 86-(0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017

Zhoushan Jinqi JQ 30-6B filling sealing machine

1. Overview

This machine is suitable for filling and sealing of gas drinks in beer and beverage industry. It has the characteristics of fast filling sealing speed, high consistent liquid level in the tank to the tank mouth after filling, smooth operation of the whole machine, good sealing quality, beautiful shape, easy use and



maintenance, touch screen operation, frequency conversion and speed regulation, etc. It is the most ideal filling sealing equipment for all beverages and breweries.

2. Main technical indicators

A. Filling materials: gas beverages

B. Tank type: 6122 (change design and manufacture of other tank parts)

C. temperature: 0-4°C

D. Canhead number: 30

Number of E. sealing head: 6

F. Production capacity: 150-300 cans / minute

G. Compressed air: 0.4MPa

H. Power: 11 KW

I. Overall dimensions: 3900 2420 1000

10. Weight: 5,000 Kg

3. Material

A. Transmission components: high-quality carbon steel

B. Filling valve assembly: SUS 316 stainless steel, silicone rubber

C. barrel parts: SUS 316 stainless steel

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web: www.93jq.com Email box / E-mail: zsjq_sp@163.com

Tel: + 86- (0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017

And d. Filled parts: Pneumatic control, SUS304 stainless steel

E. Conveyor belt part: side plate is SUS304 stainless steel, conveying chain is POM flat top chain

F. Workbench components: the frame is carbon steel structure with exterior SUS304 stainless steel guard plate

G. Sealing parts: high-quality carbon steel, bearing steel, and tool steel

4. Electrical configuration

A. Touch screen: dimension control	B. PLC: Dimension control
C. Frequency converter: sine	D. proximity switch: Yifu door
E. Switch power supply: Ming Wei	F. Relay: Omron
G. Circuit breaker: Chint	H. Pressure reducing valve: Yadker
I. Power switch: Chint	J. Contactor: Chint
K. Three-phase motor: Luan Xinshun	L. Pneumatic butterfly valve: the square valve
M. Cylinder: Yade passenger	N. Solenoid valve: Yarker
O. Photoelectric switch: Bergafu	

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web:www.93jq.com Email box / E-mail:zs jq_sp@163.com

Tel: + 86- (0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017



Zhoushan Jinqi Food Machinery Co., LTD

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web: www.93jq.com Email box / E-mail: zsjq_sp@163.com

Tel: + 86- (0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017