

Zhoushan Jinqi Food Machinery Co., LTD

JQ4BFGZ Sealer

Equipment

Itroduction



**Honesty for this, the first behave,
then work**

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web:www.93jq.comEmail box / E-mail:zsjq_sp@163.com

Tel: + 86-(0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017

JQ4BFGZ Automatic tank sealing machine

This machine is our company according to the actual situation of domestic cannery, beverage factory, referring to the most advanced foreign similar products design and manufacture of a new generation of tank sealing machine, the structure is simple, the sealing is double roll side spin forming, frequency conversion speed control, convenient adjustment, can be equipped with steam injection according to customer requirements.

Main technical parameters: number of sealed cans: 4

Production capacity: 80~250 tanks / minute (affected by tank type) Applicable tank height: 90~160mm (special tank type can be customized) Applicable tank diameter: Φ 52.5~99mm Motor power: 7.5 kw Overall dimension: 1 78 0 mm X15 4 0 mm X2000 mm

Height of the inlet and exit tank: 1.1 m adjustable

2. Material

A. Transmission components: high-quality carbon steel

b conveyor conveyor component: the side plate is SUS 304 stainless steel, and the conveying chain is POM flat top chain

C Workbench parts: the frame is carbon steel structure, exterior SUS 304 stainless steel uard plate

D Sealing parts: high quality carbon steel, bearing steel, tool steel.

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China
Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web:www.93jq.comEmail box / E-mail:zsjq_sp@163.com

Tel: + 86-(0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017



3. Electrical configuration

A. Touch screen: dimension control	B. PLC: Dimension control
C. Frequency converter: sine	D. proximity switch: Yifu door
E. Switch power supply: Ming Wei	F. Relay: Omron
G. Circuit breaker: Chint	H. Pressure reducing valve: Yadker
I. Power switch: Chint	J. Contactor: Chint
K. Three-phase motor: Luan Xinshun	l.
M. Cylinder: Yade passenger	N. Solenoid valve: Yarker

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web:www.93jq.comEmail box / E-mail:zsjq_sp@163.com

Tel: + 86- (0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017